

**Notice of Allowability**

Application No.

10/790,357

Examiner

Brian M. Healy

Applicant(s)

ARIMA ET AL.

Art Unit

2883

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the application filed 3/2/2004.
2. ☒ The allowed claim(s) is/are 1-19.
3. ☒ The drawings filed on 02 March 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 09232004
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
Brian Healy  
Primary Examiner

## **DETAILED ACTION**

### ***Allowable Subject Matter***

The following is an examiner's statement of reasons for allowance: The closest prior art of record, i.e. U.S. Patent Application Publication No. U.S. 2002/0009271A1 (Figs.1-4) an optical fiber splicer and method of splicing optical fibers using same comprising: a plurality of optical fiber 12,14,16,11,13,15 which uses a laser 60 to splice plural fiber ends to each other with the fibers also used clamping means 59,49 on a movable XY alignment means 50,22,40 whereas a camera/control means 70,72,74 that controls the movement of fibers so that the fiber ends can be spliced using the laser means. None of the references of record teaches or suggests an optical fiber splicer and method of splicing fibers using same including plural fibers, an XY movable table, a tray mounted on the XY table, means for fixing the first and second optical fibers opposed to each other in close relationship, first and second clamp means for clamping a selected one of the first and second fibers, first and second vertically movable electrodes, first and second camera means and means for processing images picked up by the cameras. Also, the feature of deforming means for bending a part of the first group of fibers to define a second gap that is larger than a first gap between opposed fiber ends and splicing means for splicing the pair of fibers after reducing the second gap to the first gap. The electrodes are used for performing pre-discharging to clean portions of the fiber ends before final discharging splicing the electrodes. These limitations are recited in claims 1-19 and are considered to be patentable over the prior art of record.

Art Unit: 2883

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian M. Healy whose telephone number is (571) 272-2347. The examiner can normally be reached on Compressed schedule Tues-Thurs. 7AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank Font can be reached on (571)272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Brian M. Healy  
Primary Examiner  
Art Unit 2883

\*\*\*

  
Brian Healy  
Primary Examiner